REFERENCES

- 1. American College of Sports Medicine. *ACSM's Guidelines for Exercise Testing and Prescription*. 9th ed. Philadelphia: Lippincott Williams & Wilkins; 2014.
- 2. American College of Sports Medicine. *ACSM's Resource Manual for Guidelines for Exercise Testing and Prescription*. 7th ed. Philadelphia: Lippincott Williams & Wilkins; 2013.
- 3. American Medical Association. "AMA Adopts New Policies on Second Day of Voting at Annual Meeting". June 18, 2013. http://www.ama-assn.org/ama/pub/news/news/2013/2013-06-18-new-ama-policies-annual-meeting.page.
- 4. American Physiologial Society. ""Obesity Sleuths" Find Chronic Diseases Linked To Behavior Contrary Our DNA." ScienceDaily. ScienceDaily, 16 July 2002. www.sciencedaily.com/releases/2002/07/020716080427.htm.
- 5. American Society of Bariatric Physicians. Use of VLCDs in the Treatment of Obesity: American Society of Bariatric Physicians Position Statement. *ASBP*. 2010;1-3.
- 6. Aneja A, El-Atat F, McFarlane SI, Sowers JR. Hypertension and obesity. *Recent Prog Horm Res.* 2004;59:169-205.
- 7. Annesi JJ, Whitaker AC. Relations of mood and exercise with weight loss in formerly sedentary obese women. *Am J Health Behav*. 2008;32(6):676-683.
- 8. Astrup A. The sympathetic nervous system as a target for intervention in obesity. *Int J Obes Relat Metab Disord.* 1995;19(7):S24-S28.
- 9. Balkestein EJ, van-Aggel-Leijssen DP, van Baak MA, Struijker-Boudier HA, Van Bortel LM. The effect of weight loss with or without exercise training on large artery compliance in healthy obese men. *J Hypertens*. 1999;17(12):1831-1835.
- 10. Bays H, Toth PP, Kris-Etherton PM, Abate N, Aronne LJ, Brown WV, Gonzalez-Campoy JM, Jones SR, Kumar R, La Forge R, Samuel VT. Obesity, adiposity, and dyslipidemia: a consensus statement from the National Lipid Association. *Journal of Clinical Lipidology*. 2013;7:304-383.
- 11. Bistrian BR, Blackburn GL, Flatt JP, Sizer J, Scrimshaw NS, Sherman M. Nitrogen metabolism and insulin requirements in obese diabetic adults on a protein-sparing modified fast. *Diabetes*. 1976;25(6):494-504.
- 12. Blacher J, Asmar R, Djane S, London GM, Safar ME. Aortic pulse wave velocity as a marker of cardiovascular risk in hypertensive patients. *Hypertension*. 1999;33:1111-1117.
- 13. Boutouyrie P, Vermeersch SJ. Determinants of pulse wave velocity in healthy people and in the presence of cardiovascular risk factors: 'establishing normal and reference values'. *Eur Heart J.* 2010;31:2338-2350.
- 14. Brehm BJ, Seeley RJ, Daniels SR, D'Alessio DA. A randomized trial comparing a very low carbohydrate diet and a calorie-restricted low fat diet on body weight and cardiovascular risk factors in healthy women. *J Clin Endocrinol Metab*. 2003;88:1617-1623.
- 15. Camps SGJA, Verhoef SPM, Westerterp KR. Weight loss-induced reduction in physical activity recovers during weight maintenance. *Am J Clin Nutr.* 2013;98:917-923
- 16. Cao JJ. Effects of obesity on bone metabolism. *JOSR*. 2011;6:30-37.

- 17. Cavuoto LA, Nussbaum MA. The influences of obesity and age on functional performance during intermittent upper extremity tasks. *Journal of Occupational and Environmental Hygiene*. 2014;11(9):583-590.
- 18. Centers for Disease Control and Prevention. "Health-Related Quality of Life (HRQOL)". 17 March 2011. http://www.cdc.gov/hrqol/concept.htm.
- 19. Chaston TB, Dixon JB. Factors associated with percent change in visceral versus subcutaneous abdominal fat during weight loss: findings from a systematic review. *International Journal of Obesity*. 2008;32:619-628.
- 20. Chaston TB, Dixon JB, and O'Brien PE. Changes in fat-free mass during significant weight loss: a systematic review. *International Journal of Obesity*. 2007;31:743-750.
- 21. Choo J, Jeon S, Lee J. Gender differences in health-related quality of life associated with abdominal obesity in a Korean population. *BMJ Open.* 2014;4:1-8.
- 22. Danaei G, Ding EL, Mozarrarian D, Taylor B, Rehm J, Murray CJL, Ezzati M. The preventable causes of death in the United States: comparative risk assessment of dietary, lifestyle, and metabolic risk factors. *PLoS Med.* 2009;6(4):1-23.
- 23. Dattilo AM, Kris-Etherton. Effects of weight reduction on blood lipids and lipoproteins: a meta-analysis. *Am J Clin Nutr.* 1992;56:320-328.
- 24. Daumit GL, Dickerson FB, Wang NY, Dalcin A, Jerome GJ, Anderson CAM, Young DR, Frick KD, Yu A, Gennusa JV, Oefinger M, Crum RM, Charleston J, Casagrande SS, Guallar E, Goldberg RW, Campbell LM, Appel LJ. A behavioral weight-loss intervention in persons with serious mental illness. *N Engl J Med.* 2013;368(17):1594-1602.
- 25. DeLany JP, Kelley DE, Hames KC, Jakicic JM, Goodpaster BH. Physical activity on weight loss, energy expenditure, and energy intake during diet induced weight loss. *Obesity*. 2014;22:363-370.
- 26. Dengo AL, Dennis EA, Orr JS, Marinik EL, Ehrlich E, Davy BM, Davy KP. Arterial destiffening with weight loss in overweight and obese middle-aged and older adults. *Hypertension*. 2010;55:855-861.
- 27. Dennis KE, Goldberg AP. Differential effects of body fatness and body fat distribution on risk factors for cardiovascular disease in women. *Arterioscler Thromb*. 1993;13:1487-1494.
- 28. Donnelly JE, Pronk NP, Jacobsen DJ, Pronk SJ, Jakicic JM. Effects of a very-low-calorie diet and physical-training regimens on body composition and resting metabolic rate in obese females. *Am J Clin Nutr.* 1991;54:56-61.
- 29. Du H, Bennett D, Li L, Whitlock G, Guo Y, Collins R, Chen J, Bian Z, Hong L, Feng S, Chen X, Chen L, Zhou R, Mao E, Peto R, Chen Z. Physical activity and sedentary leisure time and their associations with BMI, waist circumference, and percentage body fat in 0.5 million adults: the China Kadoorie Biobank study. *Am J Clin Nutr*. 2013;97:487-496.
- 30. Duren DL, Sherwood RJ, Czerwinski SA, Lee M, Choh AC, Siervogel RM, Chumlea WC. Body composition methods: comparisons and interpretation. *J Diabetes Sci Technol.* 2008;2(6):1139-1146.
- 31. Ekelund U, Brage S, Besson H, Sharp S, Wareham NJ. Time spent being sedentary and weight gain in healthy adults: reverse or bidirectional causality? *Am J Clin Nutr*. 2008;88:612-617.

- 32. Elder CR, Gullion CM, Funk KL, DeBar LL, Lindberg NM, Stevens VJ. Impact of sleep, screen time, depression and stress on weight change in the intensive weight loss phase of the LIFE study. *International Journal of Obesity*. 2012;36:86-92.
- 33. Epstein LH, Paluch RA, Gordy CC, Dorn J. Decreasing sedentary behaviors in treating pediatric obesity. *Arch Pediatr Adolesc Med.* 2000;154:220-226.
- 34. Feneberg A, Malfertheiner P. Epidemic trends of obesity with impact on metabolism and digestive diseases. *Digestive Diseases*. 2012;30(2):143-147.
- 35. Finkelstein EA, Trogdon JG, Cohen JW, Dietz W. Annual medical spending attributable to obesity: payer-and service-specific estimates. *Health Affairs*. 2009;28(5):w822-w831.
- 36. Flegal KM. The effects of changes in smoking prevalence on obesity prevalence in the United States. *Am J Public Health*. 2007;97:1510-1514.
- 37. Flegal KM, Carroll MD, Kit BK, Ogden CL. Prevalence of obesity and trends in the distribution of body mass index among US adults, 1999-2010. *JAMA*. 2012;307(5):491-497.
- 38. Fogelholm M, Kukkonen-Harjula K, Oja P. Eating control and physical activity as determinants of short-term weight maintenance after a very-low-calorie diet among obese women. *International Journal of Obesity*. 1999;23:203-210.
- 39. Fontaine KR, Barofsky I. Obesity and health-related quality of life. *Obesity Reviews*. 2001;2:173-182.
- 40. Foster GD, Wadden TA, Peterson FJ, Letizia KA, Bartlett SJ, Conill AM. A controlled comparison of three very-low-calorie diets: effects on weight, body composition, and symptoms. *Am J Clin Nutr.* 1992;55:811-817.
- 41. Franz MJ. The dilemma of weight loss in diabetes. *Diabetes Spectrum*. 2007;20(3):133-136.
- 42. Gallagher KI, Jakicic JM, Napolitano MA, Marcus BH. Psychosocial factors related to physical activity and weight loss in overweight women. *Med Sci Sports Exerc*. 2006;38(5):971-980.
- 43. Goldberg Y, Boaz M, Matas Z, Goldberg I, Shergorodsky M. Weight loss induced by nutritional and exercise intervention decreases arterial stiffness in obese subjects. *Clinical Nutrition*. 2009;28(1):21-25.
- 44. Goodpaster BH, DeLany JP, Otto AD, Kuller L, Vockley J, South-Paul JE, Thomas SB, Brown J, McTigue K, Hames KC, Lang W, Jakicic JM. Effects of diet and physical activity interventions on weight loss and cardiometabolic risk factors in severely obese adults. *JAMA*. 2010;304(16):1795-1802.
- 45. Hall KD, Sacks G, Chandamohan D, Chow CC, Wang YC, Gortmaker SL, Swinburn BA. Quantification of the effect of energy imbalance on bodyweight. *Lancet*. 2011;378(9793):1-23.
- 46. Hart KE, Warriner EM. Weight loss and biomedical health improvement on a very low calorie diet: the moderating role of history of weight cycling. *Behavioral Medicine*. 2005;30:161-170.
- 47. Harvey NL. The link between lymphatic function and adipose biology. *Ann. N.Y. Acad. Sci.*. 2008;1131:82-88.
- 48. Haskell WL, Lee I, Pate RR, Powell KE, Blair SN. Physical activity and public health: updated recommendations for adults from the American College of Sports Medicine and the American Heart Association. *Circulation*. 2007;116(9):1081-1093.

- 49. Healy GN, Dunstan DW, Salmon J, Cerin E, Shaw JE, Zimmet PZ, Owen N. Breaks in sedentary time: beneficial associations with metabolic risk. *Diabetes Care*. 2008;31:661-666.
- 50. Hegde V, Dhurandhar NV. Microbes and obesity interrelationship between infection, adipose tissue and the immune system. *Clin Microbiol Infect*. 2013;19:314-320.
- 51. Hirani V, Zaninotto P, Primatesta P. Generalised and abdominal obesity and risk of diabetes, hypertension and hypertension-diabetes co-morbidity in England. *Public Health Nutrition*. 2007;11(5):521-527.
- 52. Isner JM, Sours HE, Paris AL, Ferrans VJ, Roberts WC. Sudden, unexpected death in avid dieters using the liquid-protein-modified-fast diet. *Circulation*. 1979;60(6):1401-1412.
- 53. Janesick A, Blumberg B. Endocrine disrupting chemicals and the developmental programming of adipogenesis and obesity. *Birth Defects Research*. 2011;93:34-50.
- 54. Jensen MD, Ryan DH, Apovian CM, Ard JD, Comuzzie AG, Donato KA, Hu FB, Hubbard VS, Jakicic JM, Kushner RF, Loria CM, Millen BE, Nonas CA, Pi-Sunyer FX, Stevens J, Stevens VJ, Wadden TA, Wolfe BM, Yanovski SZ. 2013 AHA/ACC/TOS guideline for the management of overweight and obesity in adults: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and The Obesity Society. *J Am Coll Cardiol*. 2014; 63(25 Pt B):2985-3023.
- 55. Jia H, Lubetkin EI. The impact of obesity on health-related quality-of-life in the general adult US population. *Journal of Public Health*. 2005;27(2):156-164.
- 56. Johnstone AM, Horgan GW, Murison SD, Bremner DM, Lobley GE. Effects of a high-protein ketogenic diet on hunger, appetite, and weight loss in obese men feeding ad libitum. *Am J Clin Nutr.* 2008;87:44-55.
- 57. Jungheim ES, Travieso JL, Hopeman MM. Weighing the impact of obesity on female reproductive function and fertility. *Nutr Rev.* 2013;71(1):1-9.
- 58. Kaukua J, Pekkarinen T, Sane T, Mustajoki P. Health-related quality of life in obese outpatients losing weight with very-low-energy diet and behavior modification. *Int J Obes Relat Metab Disord.* 2003;27(10):1233-1241.
- 59. Kirek K, Cecelja M, Astle W, Chowienczyk P, Spector TD, Falchi M, Andrew T. The relationship between DXA-based and anthropometric measures of visceral fat and morbidity in women. *BMC Cardiovascular Disorders*. 2013;13:25-38.
- 60. Kolotkin RL, Crosby RD, Williams GR, Hartley GG, Nicol S. The relationship between health-related quality of life and weight loss. *Obes Res.* 2001;9(9):564-571.
- 61. Koster A, Ding J, Stenholm S, Caserotti P, Houston DK, Nicklas BJ, You T, Sun Lee J, Visser M, Newman AB, Schwartz AV, Cauley JA, Tylavsky FA, Goodpaster BH, Kritchevsky SB, Harris TB. Does the amount of fat mass predict age-related loss of lean mass, muscle strength, and muscle quality in older adults? *J Gerontol A Biol Sci Med Sci.* 2011;66A(8):888-895.
- 62. Krupp LB, LaRocca NG, Muir-Nash J, Steinberg AD. The Fatigue Severity Scale: application to patients with multiple sclerosis and systemic lupus erythematosus. *Arch Neurol.* 1989;46:1121-1123.
- 63. Lakka TA, Bouchard C. Physical activity, obesity and cardiovascular diseases. *Handb Exp Pharmacol.* 2005;170:137-163.

- 64. Landsberg L, Aronne LJ, Beilin LJ, Burke V, Igel LI, Lloyd-Jones D, Sowers J. Obesity related hypertension: pathogenesis, cardiovascular risk, and treatment. *J Clin Hypertens*. 2013;15:14-33.
- 65. Larsson U, Karlsson J, Sullivan M. Impact of overweight and obesity on health-related quality of life a Swedish population study. *International Journal of Obesity*. 2002;26:417-424.
- 66. Leser MS, Yanovski SZ, Yanovski JA. A low-fat intake and greater activity level are associated with lower weight regain 3 years after completing a very-low-calorie diet. *J Am Diet Assoc.* 2002;102:1252-1256.
- 67. Luppino FS, deWit LM, Bouvy PF, Stijnen T, Cuijpers P, Penninx BWJH, Zitman FG. Overweight, obesity, and depression: a systematic review and meta-analysis of longitudinal studies. *Arch Gen Psychiatry*. 2010;67(3):220-229.
- 68. Maalouf M, Rho JM, Mattson MP. The neuroprotective properties of calorie restriction, the ketogenic diet, and ketone bodies. *Brain Res Rev.* 2008;59(2):293-315.
- 69. Martin CK, Heilbronn LK, de Jonge L, DeLany JP, Volaufova J, Anton SD, Redman LM, Smith SR, Ravussin E. Effect of calorie restriction on resting metabolic rate and spontaneous physical activity. *Obesity*. 2007;15:2964-2973.
- 70. Misra A, Vikram NK. Clinical and pathophysiological consequences of abdominal adiposity and abdominal adipose tissue depots. *Nutrition*. 2003;19:457-466.
- 71. Mondul AM, Giovannucci E, Platz EA. A prospective study of obesity and incidence and progression of lower urinary tract symptoms. *J Urol.* 2014;191(3):715-721.
- 72. Moody AM. Effects of changes in weight, body composition, fitness and physical activity on aortic wave velocity in overweight and obese adults [dissertation]. Pittsburgh (PA): University of Pittsburgh; 2014.99 p.
- 73. National Institute of Diabetes and Digestive and Kidney Diseases. Very low-calorie diets. *WIN*. 2008;3894(3):1-3.
- 74. National Task Force on the Prevention and Treatment of Obesity. Very low-calorie diets. *JAMA*. 1993;270:967-974.
- 75. Okura T, Nakata Y, Lee DJ, Ohkawara K, Tanaka K. Effects of aerobic exercise and obesity phenotype on abdominal fat reduction in response to weight loss. *International Journal of Obesity*. 2005;29:1259-1266.
- 76. Palgi A, Read JL, Greenberg I, Hoefer MA, Bistrian BR, Blackburn GL. Multidisciplinary treatment of obesity with a protein-sparing modified fast: results in 668 outpatients. *Am J Public Health*. 1985;75:1190-1194.
- 77. Paoli A. Ketogenic diet for obesity: friend or foe? *Int J Environ Res Public Health*. 2014;11:2092-2107.
- 78. Paoli A, Rubini A, Volek JS, Grimaldi KA. Beyond weight loss: a review of the therapeutic uses of very-low-carbohydrate (ketogenic) diets. *Eur J Clin Nutr*. 2013;67:789-796.
- 79. Parenti M, Babini AC, Cecchetto ME, Bartolo PD, Luchi A, Saretta B, Sorrenti G, Motta R, Melchionda N, Barbara L. Lipid, lipoprotein, and apolipoprotein assessment during an 8-wk very-low-calorie diet. *Am J Clin Nutr.* 1992;56:268S-270S.
- 80. Parr EB, Coffey VG, Hawley JA. 'Sarcobesity': a metabolic conundrum. *Maturitas*. 2013;1:109-113.

- 81. Pasanisi F, Contaldo F, de Simone G, Mancini M. Benefits of sustained moderate weight loss in obesity. *Nutrition, Metabolism, and Cardiovascular Diseases: NMCD.* 2001;11(6):401-406.
- 82. Pate RR, Pratt M, Blair SN, Haskell WL, Macera CA, Bouchard C, Buchner D, Ettinger W, Heath GW, King AC, Kriska A, Leon AS, Marcus BH, Morris J, Paffenbarger RS, Patrick K, Pollock ML, Rippe JM, Sallis J, Wilmore JH. Physical activity and public health: a recommendation from the Centers for Disease Control and Prevention and the American College of Sports Medicine. *JAMA*. 1995;273(5):402-407.
- 83. Petersen KS, Blanch N, Keogh JB, Clifton PM. Effect of weight loss on pulse wave velocity. *Arteriosclerosis, Thrombosis, and Vascular Biology.* 2014;35:243-252.
- 84. Phinney SD. Exercise during and after very-low-calorie dieting. *Am J Clin Nutr*. 1992;56:190S-194S.
- 85. Pi-Sunyer FX. Dietary practices in obesity. Bull NY Acad Med. 1982;58(3):263-274.
- 86. Pisciottano MV, Pinto SS, Szejnfeld VL, Castro CH. The relationship between lean mass, muscle strength and physical ability in independent healthy elderly women from the community. *J Nutr Health Aging*. 2014;18(5):554-558.
- 87. Pontiroli AE, Galli L. Duration of obesity is a risk factor for non-insulin-dependent diabetes mellitus, not for arterial hypertension or for hyperlipidaemia. *Acta Diabetol*. 1998;35:130-136.
- 88. Rabec C, Ramos PL, Veale D. Respiratory complications of obesity. *Arch Bronconeumol*. 2011;47(5):252-261.
- 89. Re RN. Obesity-related hypertension. *The Ochsner Journal*. 2009;9:133-136.
- 90. Reisin, E, Abel R, Modan M, Silverberg DS, Eliahou HE, Modan B. Effect of weight loss without salt restriction on the reduction of blood pressure in overweight hypertensive patients. *N Engl J Med.* 1978;298:1-6.
- 91. Ross KM, Milsom VA, Rickel KA, DeBraganza N, Gibbons LM, Murawski ME, Perri MG. The contributions of weight loss and increased physical fitness to improvements in health-related quality of life. *Eat Beh.* 2009;10(2):84-88.
- 92. Ross R, Dagnone D, Jones PJH, Smith H, Paddags A, Hudson R, Janssen I. Reduction in obesity and related comorbid conditions after diet-induced weight loss or exercise-induced weight loss in men. *Ann Intern Med.* 2000;133:92-103.
- 93. Safar ME, Czernichow S, Blacher J. Obesity, arterial stiffness, and cardiovascular risk. *J Am Soc Nephrol.* 2006;17:S109-S111.
- 94. Sumithran P, Prendergast LA, Delbridge E, Purcell K, Shulkes A, Kriketos A, Proietto J. Ketosis and appetite-mediating nutrients and hormones after weight loss. *EurJ Clin Nutr.* 2013;67:759-764.
- 95. Sutton-Tyrrell K, Najjar SS, Boudreau RM, Venkitachalam L, Kupelian V, Simonsick EM, Havlik R, Lakatta EG, Spurgeon H, Kritchevsky S, Pahor M, Bauer D, Newman A. Elevated aortic pulse wave velocity, a marker of arterial stiffness, predicts cardiovascular events in well-functioning older adults. *Circulation*. 2005;111:3384-3390.
- 96. Tchernof A, Despres JP. Pathophysiology of human visceral obesity: an update. *Physiol Rev.* 2013;93:359-404.
- 97. The WHOQOL group. Development of the World Health Organization WHOQOL-BREF Quality of Life Assessment. *Psychological Medicine*. 1998;28:551-558.

- 98. Thorp AA, Owen N, Neuhaus M, Dunstan DW. Sedentary behaviors and subsequent health outcomes in adults: a systematic review of longitudinal studies, 1996-2011. *American Journal of Preventative Medicine*. 2011;41(2):207-215.
- 99. Toto-Moukouo JJ, Achimastos A, Asmar RG, Hugues CJ, Safar ME. Pulse wave velocity in patients with obesity and hypertension. *AHJ*. 1986;112(1):136-140.
- 100. Tsai AG, Wadden TA. The evolution of very-low-calorie diets: an update and meta-analysis. *Obesity*. 2006;14:1283-1293.
- 101. Tsuchikura S, Shoji T, Kimoto E, Shinohara K, Hatsuda S, Koyama H, Emoto M, Nishizawa Y. Central versus peripheral arterial stiffness in association with coronary, cerebral and peripheral arterial disease. *Atherosclerosis*. 2010;211(2):480-485.
- 102. United States Department of Health and Human Services. *Health, United States, 1997*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Health Statistics, 1997.
- 103. United States Department of Health and Human Services. *Health, United States, 2013: With Special Feature on Prescription Drugs.* Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Health Statistics, 2013.
- 104. United States Department of Health and Human Services. *Physical Activity and Health: A Report of the Surgeon General*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, 1996.
- 105. Valentine RJ, Woods JA, McAuley E, Dantzer R, Evans EM. The associations of adiposity, physical activity and inflammation with fatigue in older adults. *Brain, Behavior, and Immunity.* 2011;25(7):1482-1490.
- 106. Vgontzas AN, Bixler EO, Chrousos GP. Obesity-related sleepiness and fatigue. *Stress, Obesity, and Metabolic Syndrome*. 2006;1083:329-344.
- 107. Wang H, Peng D. New insights into the mechanism of low high-density lipoprotein cholesterol in obesity. *Lipids in Health and Disease*. 2011;10:176-186.
- 108. Wang X, Lyles MF, You T, Berry MJ, Rejeski J, Nicklas BJ. Weight regain is related to decreases in physical activity during weight loss. *Med Sci Sports Exerc*. 2008;40(10):1781-1788.
- 109. Warkentin LM, Das D, Majumdar SR, Johnson JA, Padwal RS. The effect of weight loss on health-related quality of life: systematic review and meta-analysis of randomized trials. *Obesity Reviews*. 2014;15(3):169-182.
- 110. Warren TY, Barry V, Hooker SP, Sui X, Church TS, Blair SN. Sedentary behaviors increase risk of cardiovascular disease mortality in men. *Med Sci Sports Exerc*. 2010;42(5):879-885.
- 111. Westerterp-Plantenga MS, Nieuwenhuizen A, Tome D, Soenen S, Westerterp KR. Dietary protein, weight loss, and weight maintenance. *Annu Rev Nutr.* 2009;29:21-41.
- 112. Wildman RP, Farhat GN, Patel AS, Mackey RH, Brockwell S, Thompson T, Sutton-Tyrrell K. Weight change is associated with change in arterial stiffness among healthy young adults. *Hypertension*. 2005;45:187-192.
- 113. Wing RR, Epstein LH, Marcus MD, Kupfer DJ. Mood changes in behavioral weight loss programs. *J Psychosom Res.* 1984;28(3):189-196.
- 114. Wing RR, Lang W, Wadden TA, Safford M, Knowler WC, Bertoni AG, Hill JO, Brancati FL, Peters A, Wagenknecht L. Benefits of modest weight loss in improving

- cardiovascular risk factors in overweight and obese individuals with type 2 diabetes. *Diabetes Care.* 2011;34:1481-1486.
- 115. Yosipovitch G, DeVore A, and Dawn A. Obesity and the skin: skin physiology and skin manifestations of obesity. *J Am Acad Dermatol.* 2007;56:901-916.
- 116. Zhang C, Rexrode KM, van Dam RM, Li TY, Hu FB. Abdominal obesity and the risk of all-cause, cardiovascular, and cancer mortality: sixteen years of follow-up in US women. *Circulation*. 2008;117:1658-1667.